


KY 107

1930/31

acou 4 V
 0,4 A
 an.b. 150 V
 14 mA
 Gb : M,L
 Pr : f 165,-

 hf : A 442
 d : A 415
 e : B 443




KY 107

KY 116

1932/33

wiss.110-220 V
 Gb : M,L
 Pr : f 187,50
 (later f 153,-)

 hf1: E 462
 hf2: E 462
 d : E 428
 e : E 443 H
 g : 1823




KY 116

KY 108

1930/31

wiss.125,220 V
 30 W
 Gb : M,L
 Pr : f 175,-
 (later f 150,-)

 hf : E 452 T
 d : E 424
 e : C 443
 g : 506




KY 108

KY 117

1932/33

Voor el.geg.
 zie KY 116
 Pr : f 220,-
 (later f 163,-)




KY 117

KY 109

1930/31

wiss.125,220 V
 45 W
 Gb : M,L
 Pr : f 275,-

 hf1: E 452 T
 hf2: E 452 T
 d : E 424
 e : C 443
 g : 506 K




KY 109

KY 121

1932/33

wiss.110-220 V
 Gb : M,L
 Pr : f 315,-
 (later f 240,-)

 hf1: E 462
 hf2: E 462
 d : E 438
 lf : E 428
 e : E 406
 g : 1823




KY 121

KY 112

1930/31

(radio-gram.)
 Voor el.geg.
 zie KY 109
 Pr : f 325,-




KY 112

KY 123

1932/33

Voor el.geg.
 zie KY 116
 Pr : f 205,-
 (later f 158,-)




KY 123

KY 115

1930/31

(radio-gram.)
 Voor el.geg.
 zie KY 109
 Pr : f 435,-




KY 115

KY 126

1932/33

wiss.110-220 V
 40 W
 Gb : M,L
 Pr : f 142,-
 (later f 154,-)

 hf : E 455
 d : E 462
 lf : E 499
 e : E 443 H
 g : 1823



KY 126

KY 126 B

1933/34

accu 4 V
an.b. 120 V
Gb : M,L
Pr : f 125,-

hf₁ : B 442
hf₂ : B 442
d : B 438
e : B 443

KY 126 G

1933/34

gel. 110,220 V
Gb : M,L
Pr : f 150,-
(later f 162,-)


hf₁ : B 2046
hf₂ : B 2046
d : B 2099
e : B 2043
w : 1926 (110 V)
1928 (220 V)

KY 130

1933/34

wiss.110-220
Gb : M,L
Pr : f 220,-
(later f 175,-)

hf₁ : E 462
hf₂ : E 462
d : E 444
e : E 443 H
s : 1823



KY 130

KY 135

1933/34


Als KY 126, doch zonder
ingeb. luidspreker
Pr : f 115,- (later f 125,-)

KY 136

1934/35

wiss.110-220 V
48 W
MF : 420 kHz
Gb : M,L
Pr : f 145,-

m : AK 1
mf : AF 2
d : E 444
e : E 443 H
s : 1823




KY 136

KY 137

1934/35

wiss.110-220 V
50 W
MF : 420 kHz
Gb : K,M,L
Pr : f 225,-
(later f 175,-)

m : AK 1
mf : AF 2
d : E 444
e : E 443 H
s : 1823
ni : 4662



KY 137

KY 138

1934/35


Als KY 136, doch zonder
ingeb. luidspreker
Pr : f 130,-

KY 140

1934/35

wiss.110-220 V
45 W
Gb : M,L
Pr : f 98,-

hf : AF 2
d : E 446
e : E 443 H
s : 1823




KY 140

KY 141

1934/35

Voor el.-geg.
zie KY 137
Pr : f 265,-
(later f 245,-)



KY 141

KY 142

1934/35


Als KY 137, doch zonder KG-ber.
Pr : f 198,-

KY 145

1935/36

wiss.110-220 V
MF : 108 kHz
Gb : M,L
Pr : f 119,-

m : AK 2
d : E 444
e : AL 2
s : AZ 1



KY 145

KY 146

1935/36

wiss.110-220 V
MF : 108 kHz
Gb : M,L
Pr : f 137,50

m : AK 2
mf : AF 3
d : ABC 1
e : AL 2
s : AZ 1

Voor afb.
zie KY 151


KY 147 1935/36

Als KY 146, doch zonder ingeb. luidspreker
Pr : f 125,-

KY 148 1935/36

wiss.110-220 V
MF : 108 kHz
Gb : K,M,L
Pr : f 192,50

hf : AF 3
m : AK 2
mf : AF 3
d : ABC 1
e : AL 2
g : AZ 1
ni : 4662




KY 148

KY 149 1935/36

wiss.110-220 V
MF : 451 kHz
Gb : K₁,K₂,V,M,L
Pr : f 255,-
(later f 198,-)

Voor buizen zie KY 148




KY 149

KY 151 1935/36

wiss.125,220 V
gel. 110,220 V
MF : 108 kHz
Gb : M,L
Pr : f 150,-

m : CK 1
mf : CF 3
d : CBC 1
e : CL 2
g : CY 1
w : C 3



KY 151

KY 152 1935/36

Voor el.geg. zie KY 151
Pr : f 137,50

KY 154 1936/37

accu 2 V
an.b. 150 V
MF : 110 kHz
Gb : M,L
Pr : f 135,-


m : KK 2
mf : KP 3
d : KBC 1
e : KDD 1

Voor afb. zie KY 156


KY 155 1936/37

wiss.110-220 V
MF : 110 kHz
Gb : K,M,L
Pr : f 115,-
(later f 129,-)

m : AK 2
d : E 444
e : AL 4
g : AZ 1




KY 155




KY 156 1936/37

wiss.110-220 V
50 W
MF : 110 kHz
Gb : K,M,L
Pr : f 145,-
(later f 155,-)

m : AK 2
mf : AF 3
d : AB 2
e : AL 4
g : AZ 1
ni : 4662




KY 156



KY 157 1936/37


Als KY 156, doch zonder ingeb. luidspr.
Pr : f 130,-
(later f 120,-)



KY 157

KY 158 1936/37

Voor el.geg. zie KY 156
Pr : f 182,50
(later f 198,-)




KY 158


KY 159 1936/37

wiss.110-220 V
MF : 451 kHz
Gb : K₁,K₂,V,M,L
Pr : f 310,-

hf : AF 3
m : AK 2
mf : AF 3
d : ABC 1
e : AL 5
g : AZ 1
ni : 4662




KY 159




KY 160

1936/37

wiss. 110-220 V
 MF : 451 kHz
 Gb : K₁, K₂, V, M, L
 Pr : f 345,-



KY 160




hf : AF 3
 m : AK 2
 mf : AF 3
 d : ABC 1
 e1 : AL 4
 e2 : AL 4
 g : 1561
 ni : 4662


KY 168

1937/38

wiss. 110-250 V
 MF : 110 kHz
 Gb : K, V, M, L
 Pr : f 210,-



KY 168




m : EK 2
 mf : EF 5
 d : EBC 3
 e : EL 3
 g : AZ 1
 ni : 4662


KY 165

1937/38

wiss. 110-250 V
 40 W
 MF : 110 kHz
 Gb : K, M, L
 Pr : f 127,-



KY 165




m : EK 2
 mf : EF 5
 d, e : EBL 1
 g : 1823


KY 169

1937/38

wiss. 110-250 V
 MF : 451 kHz
 Gb : K₁, K₂, V, M, L
 Pr : f 295,-



KY 169



hf : EF 5
 m : EK 2
 mf1 : EF 5
 mf2 : EF 5
 d : EBC 3
 e1 : AD 1
 e2 : AD 1
 g : EZ 4
 st : 4687
 ni : 4662

KY 166

1937/38

wiss. 110-250 V
 45 W
 MF : 110 kHz
 Gb : K, V, M, L
 Pr : f 165,-

Voor afb. zie KY 166 U

Voor pl.v.b. zie KY 165


m : EK 2
 mf : EF 5
 d, e : EBL 1
 g : AZ 1
 ni : 4662

KY 175 (V)


1938/39

SOLO

wiss. 110-250 V
 43 W
 MF : 110 kHz
 Gb : K, M, L
 Pr : f 103,-



KY 175



Bij uitv. V is
 Gb : V, M, L
 Pr : f 107,50

m : EK 2
 mf : EF 5
 d, e : EBL 1
 g : 1823

KY 166 B


1937/38

Voor el. geg. zie KY 176 B (1938/39),
 doch met Gb : K, V, M, L
 Voor afb. en pl.v.b. zie KY 166 U
 Pr : f 145,-


KY 166 U

1937/38

wiss. 125, 220 V
 gel. 220 V
 MF : 110 kHz
 Gb : K, V, M, L
 Pr : f 180,-



KY 166 U/B



m : EK 2
 mf : EF 5
 d : EBC 3
 e : CL 4
 g : CY 1
 w : C 1

KY 176

1938/39

DUET

wiss. 110-250 V
 45 W
 MF : 110 kHz
 Gb : K, M, L
 Pr : f 155,-

Voor afb. zie KY 176 B

Voor pl.v.b. zie KY 175



m : EK 2
 mf : EF 9
 d, e : EBL 1
 g : 1823
 ni : 4662

KY 176 B

1938/39

accu 2 V
0,65 A
an.b. 150 V
16 mA
MF : 110 kHz
Gb : K,M,L
Pr : f 125,-

m : KK 2
mf : KP 3
d : KBC 1
e : KL 4



KY 186

1939/40

wiss.110-250 V
45 W
MF : 110 kHz
Gb : K,M,L
Pr : f 132,50

m : EK 2
mf : EF 9
d,e : EBL 1
g : 1823
ni : 4662



Voor afb.
zie KY 186 B

Voor pl.v.b.
zie KY 185

KY 186 B

1939/40

Voor el.geg.
(beh. pl.v.b.)
zie KY 176 B
Pr : f 125,-





KY 177

1938/39

TRIO

wiss.110-250 V
50 W
MF : 110 kHz
Gb : K,V,M,L
Pr : f 175,-



m : EK 2
mf : EF 9
i : C/EM 2
d,e : EBL 1
g : 1823



KY 187

1939/40

Voor el.geg.
(beh. pl.v.b.)
zie KY 186
Pr : f 153,50




KY 178

1938/39

QUARTET

Als KY 177,
doch met
drukknoppen
Pr : f 225,-




KY 178

KY 179

1938/39

QUINTET

(radio-gram.)
Voor el.geg.
zie KY 177
Pr : f 360,-





KY 179

KY 188

1939/40

wiss.110-250 V
55 W
MF : 110 kHz
Gb : K,M,L
Pr : f 195,-

m : EK 2
d : EBF 2
i : C/EM 2
e : EL 6
g : AZ 1




KY 185 (V)

1939/40

wiss.110-250 V
43 W
MF : 110 kHz
Gb : K,M,L
Pr : f 106,-

Bij uitv. V is
Gb : V,M,L
Pr : f 109,-


m : EK 2
mf : EF 9
d,e : EBL 1
g : 1823



KY 189

1939/40

Als KY 188,
doch grotere
luidspreker
Pr : f 230,-




KY 189

KY 194

1940/41


Voor el. geg.
zie KY 195
Pr : f 115,-



KY 198

1940/41


(radio-gram.)
Voor el. geg.
zie KY 197
Pr : f 277,50




KY 195(V)

1940/41

wiss. 110-250 V
45 W
MF : 106 kHz
Gb : K, M, L
Pr : f 135,50
Bij uitv. V is
Gb : V, M, L
Pr : f 138,-




m : ECH 3
mf : EF 9
d,e : EBL 1
g : 1823



KY 410

1941

wiss. 127,220 V
40 W
MF : 106 kHz
Gb : K, M, L
Pr : f 165,-



m : ECH 21
mf : EF 22
d,e : EBL 21
g : 1823

Voor pl.v.b.
zie KY 195

KY 196

1940/41

Voor afb. zie KY 196 B
Voor el. geg. zie KY 195, doch met
ni : 4662


Pr : f 159,-

ECH 3
ECH 4
EBL 1
1823


KY 415

1941/42

wiss. 127,220 V
35 W
MF : 106 kHz
Gb : K, M, L
Pr : f 140,-




m : ECH 3
d,e : EBL 1
g : 1823




KY 196 B

1940/41

an.cu 2 V
0,7 A
an.b. 150 V
8-17 mA
MF : 106 kHz
Gb : K, M, L
Pr : f 151,50




m : KOH 1
mf : KP 3
d : KBC 1
e : KL 5



KY 416

1941/42


Voor el. geg.
zie KY 410
Pr : f 195,-




KY 197

1940/41

wiss. 110-250 V
48 W
MF : 106 kHz
Gb : K, M, L
Pr : f 192,-




m : ECH 3
mf : ECH 4
d,e : EBL 1
i : EM 4
g : 1823



KY 417

1941/42

wiss. 127,220 V
45 W
MF : 106 kHz
Gb : K, M, L
Pr : f 230,-




m : ECH 21
mf : ECH 21
d,e : EBL 21
g : 1823
ni : 4662

Voor pl.v.b.
zie KY 195


KY 457

1945

wiss. 110-245 V
60 W
MF : 106 kHz
Gb : K,M,L
Pr : f 375,-



m : ECH 4
mf : EP 9
d,e : EBL 1 } I
m : ECH 21
mf : EP 22
d,e : EBL 21 } II
i : EM 4
g : 1823
vl : 8088 D-00 (2x)




(I = eerste uitvoering)
(II = latere ")


KY 483

1948

wiss. en gel.
127 V, 35 W
of 220 V, 38 W
MF : 452 kHz
Gb : M
Pr : f 109,-




m : UCH 41
mf,d : UAF 42
e : UL 41
g : UY 41
vl : 7121 D-00 (voor 127 V)
8034 D-00 (voor 220 V)



KY 485

1946


Voor el.geg.
zie KY 486
Pr : f 215,-



KY 465

1946

wiss. 110-245 V
50 W
MF : 452 kHz
Gb : K,M,L
Pr : f 262,50
(later f 280,-)




m : ECH 21
mf : ECH 21
d,e : EBL 21
g : AZ 1
vl : 8 V - 0,3 A (2x)




KY 486

1948

wiss. 110-220 V
50 W
MF : 452 kHz
Gb : K,M,L
Pr : f 280,-




m : ECH 21
mf : ECH 21
d,e : EBL 21
g : AZ 1
vl : 8045 D-00
(2x)




KY 466

1946

wiss. 110-245 V
60 W
MF : 452 kHz
Gb : K,M,L
Pr : f 367,50
(later f 392,50)




hf : EP 22
m : ECH 21
mf : ECH 21
d,e : EBL 21
i : EM 4
g : AZ 1
vl : 8 V - 0,3 A (3x)



KY 487

1948

wiss. 110-220 V
50 W
MF : 452 kHz
Gb : K,M,L
Pr : f 395,-




m : ECH 21
mf : ECH 21
d,e : EBL 21
g : AZ 1
i : EM 4
vl : 8045 D-00
(2x)




KY 477

1947

wiss. 110-245 V
65 W
MF : 452 kHz
Gb : K,M,L
Pr : f 575,-




hf : EP 22
m : ECH 21
mf : ECH 21
lf : EP 22
s,e : EBL 21
d,e : EBL 21
i : EM 4
g : AZ 4
vl : 8 V - 0,3 A (5x)




KY 488

1949

wiss. 110-245 V
55 W
MF : 452 kHz
Gb : K₁,K₂,V,M,L
Pr : f 495,-




m : ECH 21
mf : ECH 21
lf : EP 22
s,e : EBL 21
d,e : EBL 21
i : EM 4
g : AZ 4
vl : 8045 D-00
(2x)



KY 504

1950

wiss. 110-240 V
40 W
MP : 452 kHz
Gb : K,M,L
Pr : f 198,-




m : ECH 42
mf : EP 41
d,lf: EBC 41
e : EL 41
g : AZ 41
vl : 8045 D (2x)




KY 508

1950

wiss. 110-240 V
50 W
MP : 452 kHz
Gb : K,V,M,L
Pr : f 398,-



m : ECH 21
mf : EAF 42 } I
d,lf: EAF 42 }
m : ECH 42
mf : EP 41 } II
d,lf: EBC 41 }




e : EL 41
i : EM 4
g : AZ 41
vl : 8045 D (3x)

(I = eerste uitvoering)
(II = latere ")


KY 505

1950

wiss. 110-240 V
40 W
MP : 452 kHz
Gb : K,M,L
Pr : f 240,-



m : ECH 21
mf : EAF 42 } I
d,lf: EAF 42 }
m : ECH 42
mf : EP 41 } II
d,lf: EBC 41 }




e : EL 41
g : AZ 41
vl : 8045 D (2x)

(I = eerste uitvoering)
(II = latere ")


KY 509

1950

wiss. 110-240 V
85 W
MP : 452 kHz
Gb : K₁,K₂,M,L
Pr : f 475,-




m : ECH 42
mf : EP 41
d,lf: EBC 41
ph : ECG 40
e : EL 41
e : EL 41
i : EM 34
g : AZ 41
g : AZ 41
vl : 8045 D (2x)




KY 506

1950

wiss. 110-240 V
45 W
MP : 452 kHz
Gb : K,M,L
Pr : f 290,-



m : ECH 21
mf : EAF 42 } I
d,lf: EAF 42 }
m : ECH 42
mf : EP 41 } II
d,lf: EBC 41 }




e : EL 41
i : EM 4
g : AZ 41
vl : 8045 D (2x)

(I = eerste uitvoering)
(II = latere ")


KY 548

1949/50

wiss. 110-240 V
50 W
MP : 452 kHz
Gb : K,V,M (13-450 m doorl.)
Pr : f 380,-




hf : EP 22
m : ECH 21
mf,lf: ECH 21
d,e: EBL 21
g : AZ 1
vl : 8045 D (2x)



KY 507

1950

Voor el.geg.
zie KY 506
Pr : f 335,-





KY 513

1951/52

wiss. en gel
125,220
40 W
MF : 452 kHz
Gb : K, M, L
Pr : f 207,50
1.7.'52: f 160,-

m : UCH 42
mf : UF 41
d,lf : UBC 41
e : UL 41
g : UY 41
vl : 8097 D (2x)





KY 517

1951/52

wiss. 110-250 V
45 W
MF : 452 kHz
Gb : K₁, K₂, K₃, M, L
Pr : f 450,-
1.7.'52: f 382,-


m : ECH 42
mf,d : EBF 80
lf : ECC 40
e : EL 41
i : EM 34
g : AZ 41
vl : 8045 D (2x)



KY 514

1951/52


Voor el.geg. zie
KY 515 uitv. b,
doch met
Gb : K, M, L
Pr : f 275,-
1.7.'52: f 230,-



KY 518

1951/52

Voor el.geg.
zie KY 517
Pr : f 495,-
1.7.'52: f 420,-





KY 515

1951/52

wiss. 110-250 V
45 W
MF : 452 kHz
Gb : K, K₂, M, L
Pr : f 320,-
1.7.'52: f 270,-

m : ECH 42
mf : EAF 42
d,lf : EBC 41 } a
mf,d : EAF 42 } b
lf : EBC 41 }
e : EL 41
g : AZ 41
vl : 8045 D (2x)

uitv. a = t/m serieno. 2000
uitv. b = vanaf serieno. 2001




KY 518 M

1952

wiss. 110-250 V
50 W
MF : 452 kHz
Gb : K₁, K₂, V, M, L
Pr : f 545,-
1.7.'52: f 463,-

hf : EAF 42
m : ECH 42
mf,d : EBF 80
lf : ECC 40
e : EL 41
i : EM 34
g : AZ 41
vl : 8045 D (2x)


Voor afb.
zie KY 518



KY 516

1951/52

Voor el.geg. zie
KY 515, doch met
i : EM 34
Pr : f 375,-
1.7.'52: f 318,-



KY 750

1952

Tropenradio
wiss. 110-245
50 W
MF : 452 kHz
Gb : K₁, K₂, T, M
Pr : f 490,-
1.7.'52: f 450

hf : EF 41
m : ECH 42
mf : EF 41
d,lf : EBC 41
e : EL 41
i : EM 34
g : AZ 41
vl : 8045 D (2x)

