


420 W

1931/32

wiss. 130,220 V
28 W
Gb : M,L
Pr : f 160,-

hf : E 442
d : E 428
e : C 443
g : 1823
v1 : 4V-0,3A(2x)




530 WL

1932/33

wiss. 130,220 V
36 W
Gb : M,L
Pr : f 220,-

hf1 : E 462
hf2 : E 462
d : E 428
lf : E 428
e : E 453
g : 1823
v1 : 4V-0,3A(2x)



424 W

1931/32


Voor el. geg. zie 420 W
Pr : f 180,-

426

1931/32

wiss. 130,220 V
50 W
Gb : M,L
Pr : f 220,-

hf : E 442
d : E 428
e : E 443 N
g : 1561
v1 : 4V-0,3A(2x)




204 NL

1933/34

wiss. 130,220 V
32 W
Gb : M,L
Pr : f 137,50


hf : AF 2
d : E 428
lf : E 428
e : E 453
g : metaal-gelijkr.
v1 : 4V-0,3A(2x)



204 N

1933/34

Als 204 NL, doch zonder luidspr.
Pr : f 127,50




515 WL

1932/33

wiss. 130,220 V
32 W
Gb : M,L
Pr : f 190,-

hf : E 462
d : E 428
lf : E 428
e : E 453
g : 1823
v1 : 4V-0,3A(2x)




204 BL

1933/34

accu 4 V
0,3 A
an. b. 150 V
16 mA
Gb : M,L
Pr : f 145,-

hf : A 442
d : A 415
lf : A 415
e : RES 164 d
v1 : 4V-0,2A(2x)




516 W

1932/33

wiss. 130,220 V
30 W
Gb : M,L
Pr : f 140,-

hf : E 442
d : E 428
e : C 453
g : 1823
v1 : 4V-0,3A(2x)




516 NG

1933/34

(radio-gram.)
wiss. 130,220 V
30 W
Gb : M,L
Pr : f 299,-

hf : AF 2
d : E 428
e : C 453
g : 1823
v1 : 4V-0,3A(2x)



516 WL

1932/33

Als 516 W, doch met luidspr.
Pr : f 180,-

516 NL

1933/34


Voor el.geg. zie 516 NG
 Voor afb. zie 515 WL
 Pr : f 178,-

616 WL


1933/34

wiss.130,220 V
 60 W
 MF : 110 kHz
 Gb : M,L
 Pr : f 299,-

hf : E 449
 m : E 444 S
 mf : E 449
 d : E 446
 s : E 428
 e : E 463
 g : 1823
 vl : 4V-0,3A(2x)



W. 616 WL



616 W

1933/34


Als 616 WL, doch zonder luidspr.
 Pr : f 260,-

616 WG
 (radio-gram.)

1933/34

Voor gegevens radiogedeelte zie 616 WL

Pr : f 460,-



W. 616 WG


23 E

1934/35

wiss.130,220 V
 30 W
 Gb : M,L
 Pr : f 120,-

hf : AP 2
 d : E 446
 e : E 463
 g : 1823
 vl : 4V-0,3A(2x)

Voor pl.v.b. zie 516 NG




W 23 E

34 A


1934/35

wiss.130,220 V
 55 W
 Gb : M,L
 Pr : f 180,-

hf1: AP 2
 hf2: AP 2
 d : E 446
 e : E 463
 g : 1823
 vl : 4V-0,3A(2x)




W. 34 A



34 AG
 (radio-gram.)

1934/35

Voor el.geg. zie 34 A
 Pr : f 290,-



W 34 AG

66 N

1934/35


Voor el.geg. en afb. zie 616 WL
 Pr : f 260,-

74 A


1935/36

wiss.130,220 V
 50 W
 MF : 456 kHz
 Gb : M,L
 Pr : f 160,-

m : AK 1
 mf : AP 2
 d : E 444
 e : E 443 H
 g : 1823
 ni : 4662
 vl : 4V-0,3(3x)



W 74 A



74 AG
 (radio-gram.)


1935/36

Voor el.geg. zie 74 A
 Voor afb. zie 47 AG ('36/37)
 Pr : f 280,-

85 A


1935/36

wiss. 130,220 V
56 W
MF : 456 kHz
Gb : K, M, L
Pr : f 175,-



W 85 A


hf : AK 2
m : AK 2
mf : AP 2
d : AB 2
lf : E 446
e : E 443 H
g : 1823
ni : 4662
vl : 4V-0,3 A (3x)



47 A


1936/37

wiss. 130,220 V
54 W
MF : 456 kHz
Gb : K, M, L
Pr : f 152,50



W. 47 A

m : AK 2
mf : AF 3
d : ABC 1
e : AL 4
g : 1823
ni : 4662
vl : 4V-0,3 A (3x)



85 AG

1935/36

(radio-gram.)


Voor el. geg. zie 85 A
Voor afb. zie 47 AG ('36/37)
Pr : f 295,-

47 AG

1936/37

(radio-gram.)

Voor el. geg. zie 47 A
Pr : f 298,-



W 47AG

213

1935/36

wiss. 130,220 V
45 W
Gb : M, L
Pr : f 120,-

Voor afb. zie 21 BR ('36/37)


hf : AP 2
d : E 446
e : E 443 H
g : 1823
vl : 4V-0,3 A (3x)

Voor pl. v. b. zie 213 N ('36/37)

69 V


1936/37

wiss. 130,220 V
70 W
MF : 456 kHz
Gb : K, M, L
Pr : f 250,-



W. 69 V


m : AK 2
mf1 : AP 3
mf2 : AP 3
s : AB 2
d : ABC 1
e : AL 4
g : 1823
ni : 4662
vl : 4V-0,3 A (3x)



21 BR


1936/37

accu 2 V
0,5 A
an. b. 120 V
12 mA
Gb : M, L
Pr : f 125,-



W 21 BR

hf : KP 2
d : KP 4
e : KL 4
vl : 2V-0,1 A (3x)



69 VG

1936/37


(radio-gram.)

Voor el. geg. zie 69 V
Voor afb. zie 47 AG
Pr : f 385,-

37 R


1936/37

wiss. 130,220 V
45 W
MF : 456 kHz
Gb : M, L
Pr : f 130,-



W. 37 R


m : AK 2
d : ACH 1
e : AL 4
g : 1823
vl : 4V-0,3 A (3x)



79 V


1936/37

wiss. 130,220 V
90 W
MF : 456 kHz
Gb : K, M, L
Pr : f 365,-



W. 79 V

m : AK 2
mf1 : AP 3
mf2 : AP 3
s : AB 2
d : AB 2
lf : AF 7
e : AL 5
g : 1561
ni : 4662
vl : 4V-0,3 A (3x)




79 VG 1936/37

(radio-gram.)
 Voor el.geg. zie 79 V
 Voor afb. zie 47 AG
 Pr : f 450,-

213 N 1936/37

wiss.130,220 V
 45 W
 Gb : M,L
 Pr : f 110,-
 hf : AF 2
 d : E 446
 e : AL 4
 g : 1823
 vl : 4V-0,3A(3x)



693 1937/38

wiss.130,220 V
 66 W
 MF : 456 kHz
 Gb : K₁,K₂,V,M,L
 Pr : f 250,-

m : EK 2
 mf1: EF 5
 mf2: EF 5
 s : EB 4
 d : EBC 3
 e : EL 3
 g : AZ 1
 ni : 4662
 vl : 6V-0,3A(3x)

Voor afb.
 en pl.v.b.
 zie 69 V
 ('36/37)

471 1937/38


Als 472, doch zonder neon-indic.
 Pr : f 140,-

693 G 1937/38

(radio-gram.)
 Voor el.geg. zie 69 V
 Voor afb. zie 473 G
 Pr : f 340,-

472 1937/38

wiss.110-245 V
 55 W
 MF : 128 kHz
 Gb : K,M,L
 Pr : f 165,-



m : AK 2
 mf : AF 3
 d : ABC 1
 e : AL 4
 g : AZ 1
 ni : 4662
 vl : 4V-0,3(1x)

793 1937/38


wiss.130,220 V
 85 W
 MF : 456 kHz
 Gb : K₁,K₂,V,M,L
 Pr : f 360,-

m : EK 2
 mf1: EF 5
 mf2: EF 5
 s : EB 4
 d : EB 4
 lf : EF 6
 e : EL 5
 g : EZ 4
 ni : 4662
 vl : 6V-0,3A(3x)

Voor afb. en
 pl.v.b. zie
 79 V ('36/37)

473 1937/38

wiss.130,220 V
 50 W
 MF : 456 kHz
 Gb : K₁,K₂,V,M,L
 Pr : f 175,-




m : EK 2
 mf : EF 5
 d : EBO 3
 e : EL 3
 g : EZ 2
 ni : 4662
 vl : 6V-0,3A(3x)

793 G 1937/38

(radio-gram.)
 Voor el.geg. zie 79 V ('36/37)
 Voor afb. zie 473 G
 Pr : f 445,-

473 G 1937/38

(radio-gram.)
 Voor el.geg.
 zie 473
 Pr : f 320,-



108 1938/39

accu 2 V
 0,43 A
 an.b. 144 V
 6-12 mA
 MF : 128 kHz
 Gb : K,M,L
 Pr : f 108,-


Voor afb. en
 pl.v.b. zie
 112 ('39/40)

m : KK 2
 mf : KF 4
 d : KB 2
 e : KL 4
 vl : 2V-0,1A (1x)

115


1938/39

wiss. 110-245 V
46 W
MF : 128 kHz
Gb : K, M, L
Pr : f 115,-



W. 115


m : EK 2
mf : EF 9
d, e : EBL 1
g : AZ 1
vl : 6,3V-0,3A(2x)



112


1939/40

accu 2 V
0,45 A
an.b. 144 V
6-12 mA
MF : 128 kHz
Gb : K, M, L
Pr : f 112,-



W. 112


m : KOH 1
mf : KF 4
d : KB 2
e : KL 5
vl : 2V-0,1A(1x)



139

1938/39

Voor el.geg.
zie 115
Pr : f 139,-




W. 139

116


1939/40

wiss. 110-245 V
50 W
MF : 128 kHz
Gb : K, M, L
Pr : f 116,-



W. 116


m : ECH 3
mf : EF 9
d, e : EBL 1
g : AZ 1
vl : 6,3V-0,3A(2x)
ind: 7,5V-0,2A(1x)



145


1938/39

wiss. 110-245 V
52 W
MF : 128 kHz
Gb : K, M, L
Pr : f 145,-



W. 145


m : EK 2
mf : EF 9
d : EBC 3
e : EL 3
g : AZ 1
i : EM 1
vl : 6,3V-0,3A(2x)



139,50

1939/40

wiss. 110-245 V
54 W
MF : 128 kHz
Gb : K, M, L
Pr : f 139,50




W. 139,5

Voor buizen en
pl.v.b. zie 116

178


1938/39

wiss. 130,220 V
70 W
MF : 456 kHz
Gb : K1, K2, V, M, L
Pr : f 178,-



W. 178


m : EK 2
mf : EF 9
d : EBC 3
e : EL 6
g : AZ 4
i : EM 1
vl : 6,3V-0,3A(2x)



140

1939/40

Voor el.geg.
zie 116
Pr : f 140,-



W. 140

158


1939/40

Als 163, doch zonder drukknoppen
en met klok.
Pr : f 158,-

249


1938/39

wiss. 110-245 V
100 W
MF : 473 kHz
Gb : K, M, L
Pr : f 249,-



W. 249


hf : EF 8
m : EK 3
mf : EF 9
d : EAB 1
lf : EF 6
e : EL 3
g : AZ 1
i : EM 1
vl : 6,3V-0,3A(2x)



163


1939/40

wiss. 110-245 V
55 W
MF : 128 kHz
Gb : K, M, L
Pr : f 163,-



W. 163


m : ECH 3
mf : EF 9
i : EFM 1
d, e : EBL 1
g : AZ 1
vl : 6,3V-0,3A(2x)



190

1939/40

Voor el.geg.
zie 163
Pr : f 190,-




W 190

215

1940/41

Voor el.geg.
zie 163
('39/40)

Pr : f 215,-




W 215

120


1940/41

accu 2 V
0,18 A
an.b. 120 V
10 mA
MF : 473 kHz
Gb : K,M,L
Pr : f 120,-



W 120

m : DK 21
mf : DF 21
d : DAC 21
e : DL 21




265

1940/41

Voor el.geg.
zie 163
('39/40)

Pr : f 265,-




W 265

138,50

1940/41

Voor el.geg. zie
116 ('39/40)
Pr : f 138,50




W 138.5

H.-I.

1940/41

Voor el.geg.
zie 168

Pr : f 168,-




W H-I

154

1940/41

Voor el.geg. zie
116 ('39/40)
Pr : f 154,-




W 154

O.-W.

1941/42

Voor el.geg.
zie 168
('40/41)

Pr : f 210,-




W O-W

168

1940/41

wiss. 110-245 V
50 W
MF : 128 kHz
Gb : K,M,L
Pr : f 168,-



W 168

m : ECH 3
mf : EF 9
i : EM 4
d,e : EBL 1
g : AZ 1
vl : 6,3 V-0,3 A(4x)


Voor pl.v.b.
zie 163
(1939/40)

Insulinde

1941/42

Voor el.geg.
zie 168
('40/41)

Pr : f 295,-



W INS